

## Test Tube

(#40005/40014/40105/40114/40205/41005/41014)

### 1. Applications

SPL Test Tubes are suitable for the storage of chemical and biological samples.

### 2. Features

- ❖ Clear polypropylene tubes with high chemical and thermal stability
- ❖ Internal graduations
- ❖ Dual-position snap cap for easy handling
- ❖ No cap, useful for flow cytometry (Cat. No. 40205)
- ❖ Sterilized by E.O. gas (Cat. No. 40005, 40014, 41005, 41014)
- ❖ Sterilized by irradiation (Cat. No. 40105, 40114)

### 3. Functional Test

Sterilized	:	Passed
Cytotoxicity	:	Passed
Non-Pyrogenic	:	Passed
RNase/DNase free	:	Passed
Human DNA free	:	Passed

### 4. Product Range

Cat. No.	Material Tube/Cap	Total Volume	External Dimension	Sterilized	RCF rating	Packaging
40005	PS/LDPE	5 ml	12 x 75 mm	+	1400	25/500
40014	PS/LDPE	14 ml	17 x 95.4 mm	+	1400	25/500
40105	PS/LDPE	5 ml	12 x 75 mm	+	1400	25/500
40114	PS/LDPE	14 ml	17 x 95.4 mm	+	1400	25/500
40205	PS	5 ml	12 x 75 mm	-	1400	100/1000
41005	PP/LDPE	5 ml	12 x 75 mm	+	3000	25/500
41014	PP/LDPE	14 ml	17 x 95.4 mm	+	3000	25/500

### 5. ISO 9000 Certification

SPL Life Sciences hereby certifies that the product identified above, inspected to be in compliance with product quality specification and requirements as documented in our ISO 9001:2008 Quality Management System (K-QA-Q031478) in Korea.

### 6. Product Photographs




## 7. Specifications &amp; Technical Drawing

## - Specifications


Dimensions		Material (Resin)		Packaging	
Cat.No. 40005/40105/40205/41005	Cat.No. 40014/40114/41014	Cat.No. 40005/40014/ 40105/40114/ 40205	Cat. No 41005 /41014	Cat. No. 40205	Ca. No. 40005/40014/ 40105/40114/ 41005/41014
Diameter: 17.70 mm Height: 76.60 mm	Diameter: 24.07 mm Height: 95.40 mm	Polystyrene (PS)	Polypropylene (PP)	<ul style="list-style-type: none"> <li>• Pieces/Sleeve: 100</li> <li>• Pieces/Case: 1000</li> </ul>	<ul style="list-style-type: none"> <li>• Pieces/Sleeve: 25</li> <li>• Pieces/Case: 500</li> </ul>

## - Technical Drawing

Cat. No. 40005/40105/40205/41005



Cat. No. 40014/40114/41014



[www.spllifesciences.com](http://www.spllifesciences.com)

For technical assistance, contact SPL R&D Center at:

Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: [spl@ispl.co.kr](mailto:spl@ispl.co.kr)

To place an order, contact your local distributor or

Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: [business@ispl.co.kr](mailto:business@ispl.co.kr)